



Internal Use Only

An Access Panel
Revolution


PALCO





PALCO

Specialist Building Products



Introduction

This book has been prepared as an aid and to outline the benefits we offer above and beyond other access panel manufacturers.

Product Development within the access panel industry has been stagnant for many years with access panel manufacturers offering very similar products and very similar levels of service.

However, with the introduction of the FlipFix patented method of access panel fitting as well as our QuickFit panel there is now a clear benefit to the end user when purchasing our range of access panels.

For more information about our FlipFix and QuickFit range of access panels continue to the next pages.

Contents

Page 1	Introduction
Page 2	FlipFix Non Fire Rated
Page 3	FlipFix Fire rated
Page 4	FlipFix Plasterboard Door
Page 5	QuickFit Metal Door (Wall)
Page 6	QuickFit Metal Door (Ceiling)
Page 7	QuickFit Plasterboard Door (Wall)
Page 8	QuickFit Plasterboard Door (Ceiling)
Page 9	PAL01 Range
Page 10	PAL02 Range
Page 11	Tile Door Panel
Page 12	Plastic Access Panel
Page 13	Lock Guide

FLIPFIX Metal Door / Dual Purpose

The only stock panel you will ever need

Benefits


- Suitable for walls and ceilings.
- Removes all additional material costs. e.g. wood, screws and glue.
- The FlipFix panel benefits your dry lining service, plumbing and heating engineers, plus electrical and domestic markets.
- Saves up to 80% of the time taken to fit an Access Panel, up to £25 saving on a 600x600 panel.

Panels

Picture Frame
(PF)



Beaded Frame
(BF)



Flipfix
Fitting
Video

FF/000/MD/PF/BL

(Non Fire Rated)

Size Range:

Your Price:

Features:

150 x 150mm

200 x 200mm

300 x 300mm

450 x 450mm

550 x 550mm

600 x 300mm

600 x 600mm

900 x 600mm

1200 x 600mm

POA

- Metal Faced Dual Purpose Panel
- No Fire Rating
- Picture Or Beaded Frame
- Flipfix Fitting Device
- Budget Lock



Metal Door / Dual Purpose

The only stock panel you will ever need

Benefits


- Supplied with a 2 Hour Fire Rating as standard, therefore reducing the stock needed in branch.
- Suitable for walls and ceilings.
- Removes all additional material costs. e.g. wood, screws and glue.
- The FlipFix panel benefits your dry lining service, plumbing and heating engineers, plus electrical and domestic markets.
- Saves up to 80% of the time taken to fit an Access Panel, up to £25 saving on a 600x600 panel.

Panels

Picture Frame
(PF)



Beaded Frame
(BF)



Flipfix
Fitting
Video



2 Hours
Fire Rated

FF/120/MD/PF/BL

(2 Hours Fire Rated)

Size Range:

Your Price:

Features:

150 x 150mm

200 x 200mm

300 x 300mm

450 x 450mm

550 x 550mm

600 x 300mm

600 x 600mm

POA

- Metal Faced Dual Purpose Panel
- 2 Hour Fire Rating As Standard
- Picture Or Beaded Frame
- Flipfix Fitting Device
- Budget Lock



Plasterboard Door / Dual Purpose

Benefits


- Available Fire Rated up to 1 Hour, in walls and ceilings.
- Removes all additional material costs, e.g. wood, screws and glue.
- Fits board sizes from 32mm to 8mm.
- Saves up to 80% of the time taken to fit an access panel, and up to £25 saving on a 600 x 600 panel.
- The FlipFix panel benefits your dry lining service, plumbing and heating engineers, plus electrical and domestic markets.

Panels

Picture Frame
(PF)



Beaded Frame
(BF)



Flipfix
Fitting
Video



Available
Fire Rated

FF/000/PD/BF/BL (Non Fire Rated)

Size Range:

200 x 200mm
300 x 300mm
450 x 450mm
550 x 550mm
600 x 300mm
600 x 600mm

Your Price:

POA

Features:

- Plasterboard Faced Dual Purpose Panel
- No Fire Rating
- Beaded Frame, Beaded Door
- Flipfix Fitting Fevice
- Budget Lock

FF/060/PD/BF/BL (1 Hour Fire Rated)

Size Range:

200 x 200mm
300 x 300mm
450 x 450mm
550 x 550mm
600 x 300mm
600 x 600mm

Your Price:

POA

Features:

- Plasterboard Faced Dual Purpose Panel
- Up To 1 Hour Fire Rated
- Beaded Frame, Beaded Door
- Flipfix Fitting Device
- Budget Lock

QuickFit Metal Door / Wall Panel

Benefits


- The unique QuickFit hinge system allows you to fit an access panel door in seconds.
- This product is available in sizes up to 2400mm x 1800mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1800mm x 600mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 2 Hours Fire Rated.
- Available up to 36dB Acoustic Rated.

Panels

Picture Frame
(PF)



Beaded Frame
(BF)



View our
Fitting
Video



Acoustic
Available



Available
Fire Rated

PAL51/000/MD/PF/3WL

(Non Fire Rated)

Size Range:

300 x 300mm

to

2400 x 1800mm
(Double Door)

Your Price:

POA

Features:

- Metal Faced Wall Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- QuickFit Fitting Device
- 3 Way Lock

PAL51/120/MD/PF/3WL

(2 Hours Fire Rated)

Size Range:

1200 x 300mm

to

2400 x 1800mm
(Double Door)

Your Price:

POA

Features:

- Metal Faced Wall Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- QuickFit Fitting Device
- 3 Way Lock

QuickFit Metal Door / Ceiling Panel

Benefits


- The unique QuickFit hinge system allows you to fit an Access Panel Door in seconds.
- This product is available in sizes up to 1200 x 1200mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1200mm x 600mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 36dB Acoustic Rated.

Panels

**Picture Frame
(PF)**



**Beaded Frame
(BF)**



View our
Fitting
Video



Acoustic
Available

PAL51/000/MD/PF/3WL

(Non Fire Rated)

Size Range:

600 x 600mm

to

1200 x 1200mm
(Double Door)

Your Price:

POA

Features:


- Metal Faced Ceiling Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- QuickFit Fitting Device
- 3 Way Lock

QuickFit Plasterboard Door / Wall Panel

Benefits

- The unique QuickFit hinge system allows you to fit an access panel door in seconds.
- This product is available in sizes up to 2000mm x 1800mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1800mm x 600mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 2 Hours Fire Rated.
- Available up to 36dB Acoustic Rated.

Panels



View our
Fitting
Video



Acoustic
Available



Available
Fire Rated

Beaded Frame
(BF)



PAL53/000/PD/BF/3WL

(Non Fire Rated)

Size Range:

1200 x 300mm

to

2000 x 1800mm
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- No Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

PAL53/060/PD/BF/3WL

(1 Hour Fire Rated)

2000 x 1800 max

Size Range:

300 x 300mm

to

2000 x 1800mm
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- Up To 2 Hour Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

PAL53/120/PD/BF/3WL

(2 Hours Fire Rated)


2000 x 600 max

QuickFit Plasterboard Door / Ceiling Panel

Benefits

- The unique QuickFit hinge system allows you to fit an access panel door in seconds.
- This product is available in sizes up to 1200mm x 1200mm.
- Save time, save money, this panel can save you 30 minutes on fitting times (with a typical 1200mm x 1200mm panel).
- The QuickFit panel is project driven, therefore it is a bespoke item with a 3 / 5 day lead time.
- Available up to 1 Hour Fire Rated.
- Available up to 36dB Acoustic Rated.

Panels



View our
Fitting
Video



Acoustic
Available



Available
Fire Rated

Beaded Frame
(BF)



PAL56/000/PD/BF/BL

(Non Fire Rated)

Size Range:

300 x 300mm

to

1200 x 1200mm
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- No Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- Budget Lock

PAL54/060/PD/BF/BL

(1 Hour Fire Rated)

Size Range:

300 x 300mm

to

1200 x 1200mm
(Double Door)

Your Price:

POA

Features:

- Plasterboard Faced Access Panel
- Up To 1 Hour Fire Rating
- Beaded Frame, Beaded Door
- QuickFit Fitting Device
- 3 Way Lock

PAL01 Range Metal Door / Dual Purpose

Benefits

- Metal Faced Dual Purpose Shallow Access Panel with extending fixing tabs.
- Single door unit, powder coated RAL 9010, 30% gloss. The 1st dimension stated is the hinge side.
- Available up to 2 Hours Fire Rated.
- Available up to 30dB Acoustic Rated.
- Can be provided with Picture or Beaded Frame.




View our
Fitting
Video

Panels

Picture Frame
(PF)



Beaded Frame
(BF)



Acoustic
Available



Available
Air Tight



Available
Fire Rated

PAL01/000/MD/PF/BL

(Non Fire Rated)

Size Range:

300 x 300mm

to

1200 x 600mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- Budget Lock

PAL01/060/MD/PF/BL

(1 Hour Fire Rated)

Size Range:

300 x 300mm

to

1200 x 600mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- Budget Lock

PAL01/120/MD/PF/BL

(2 Hours Fire Rated)

PAL02 Range Metal Door / Ceiling

Benefits

- Metal Faced ceiling Access Panel, single door unit.
- Powder coated RAL 9010, 30% gloss.
- Available up to 2 Hours Fire Rated.
- The 1st dimension stated is the hinge side.
- Available up to 46dB Acoustic Rated.
- Available in air tight.
- Can be provided with Picture or Beaded Frame.



View our
Fitting
Video

Panels

Picture Frame
(PF)



Beaded Frame
(BF)



Acoustic
Available



Available
Air Tight



Available
Fire Rated

PAL02/000/MD/PF/3WL

(Non Fire Rated)

Size Range:

1200 x 600mm

to

2400 x 1800mm
(Double Door)

Your Price:

POA

Features:

- Metal Faced Access Panel
- No Fire Rating
- Picture Or Beaded Frame
- 3 Way Lock

PAL02/060/MD/PF/3WL

(1 Hour Fire Rated)

Size Range:

1200 x 600mm

to

1175 x 1175mm

Your Price:

POA

Features:

- Metal Faced Access Panel
- Up To 2 Hour Fire Rating
- Picture Or Beaded Frame
- 3 Way Lock

PAL02/120/MD/PF/3WL

(2 Hours Fire Rated) 1000 x 1000 max

Tile Door Panel

Ceramic Tile Faced Door

Benefits

PAL08

Hinged Wall Access Panel, Ceramic Tile Faced Door, Beaded Frame, Single Door Unit, Available Fire Rated or Non Fire Rated with a variety of lock options. 1st dimension stated is the hinge side. Also available as a lift out Door option.

PAL14

Lift Out Door Wall Access Panel, Non Fire Rated, Ceramic Tile Faced Door, Beaded Frame, Mini Touch Catch, Single Door Unit, Powder Coated RAL 9010 30% Gloss. Lift Out Panel / 1st dimension stated is the hinge side, where the locks are situated.

Panels



(PAL08)



(PAL14)



Available
Fire Rated

PAL08/000/TD/BF/TC

(Non Fire Rated)

Size Range:

300 x 300mm

x

1200 x 600mm

Your Price:

POA

PAL08/120/TD/BF/3WL

(2 Hours Fire Rated)

300 x 300 min

Features:

- Ceramic Tile Faced Panel
- Up To 2 Hour Fire Rating
- Beaded Frame
- Touch Catch (Non Fire Rated)
- 3 Way Lock (Fire Rated)

PAL14/000/TD/BF/TC

(Non Fire Rated)

Size Range:

100 x 100mm

x

600 x 600mm

Your Price:

POA

Features:

- Ceramic Tile Faced Panel
- No Fire Rating
- Beaded Frame
- Touch Catch

Plastic Panels

Benefits

Plastic Access Panel supplied with Picture Frame, as well as a Hinged Removable Door. This panel is Non Fire Rated. The first dimension indicates the hinge side.

Please note that these products are not recommended for use in ceilings.

Panels



x10 Multipack

PAL15/000/PL/PF/NL

(Non Fire Rated)

Size Range:	Your Price:	Features:
152 x 102mm		• Plastic Faced Access Panel • No Fire Rating • Picture Frame • Quick And Easy Installation
228 x 152mm		
203 x 203mm		
305 x 305mm	POA	
355 x 355mm		
457 x 457mm		

Lock Guide

Budget Lock



This lock is the standard Access Panel lock. The lock has a mild steel casing with a spring mechanism, and is operated with a Square Key.

3 Way Lock



This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel.

5mm Bit



This lock can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The insert provides a medium level of security.

Key Retaining Lock



This can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The key can only be removed when the panel is locked. This provides a medium level of security.

Standard Key Lock



Suited Locks are used where a number of Access Panels are required to be opened using the same key formation. One key fits all the locks.

SL Tamper Proof Lock



This lock is a Tamper Proof Cylindrical Lock. The lock provides a medium level of security, has a chrome finish and protrudes from the face of the panel.

Slotted Lock



This lock enables the panels to be locked on 3 sides. The lock contains a central tongue, with rods locking in to the sides of the panel, and uses a security key.

3 Point Euro Cylinder Lock



This lock is a Chrome Plated Cylindrical Lock. The lock can be operated using either a small coin or a flat bladed screwdriver.

Touch Catch



This is a Light Duty Touch Catch. The catch is used where the customer wants a clean panel face, or wherever a discreet locking mechanism is required.